



GULAI LIGHTING

B2B LIGHTING SOLUTIONS

RECHARGEABLE AMBIENT LIGHTING

2026 PRODUCT COLLECTION

OEM / ODM | WHOLESALE | PROJECT SUPPLY

GULAILIGHTING.COM





Crear A Different Feel For Your Home





ML-LD001

Input : DC 5V-1A
 Power : LED 4W x 3
 CCT : 3000K-6500K
 Dimmable : 10-100%
 Life : 35000hrs
 Material : Ironwork + Aluminium materials
 Battery : 5000mAH
 Charging method : USB+Type-C
 Switch mode : Touch control , Remote control
 Size of color box : 40x27x21cm
 NET weight(kgs) : 3.55kg



ML-LD008

Input : DC 5V-1A
 Power : LED 4W x 3
 CCT : 3000K-6500K
 Dimmable : 10-100%
 Life : 35000hrs
 Material : Ironwork + Aluminium materials
 Battery : 5000mAH
 Charging method : USB+Type-C
 Switch mode : Touch control , Remote control
 Size of color box : 40x27x21cm
 NET weight(kgs) : 2.12kg





ML-LD012

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Wrought Iron + Aluminum + Rotational Molding
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 2.43kg



ML-LD013

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Ironwork + Aluminium materials
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 2.95kg





ML-LD009

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Ironwork + Aluminium materials
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 2.12kg



ML-LD011

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Ironwork + Aluminium materials
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 3kg





ML-LD014

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Ironwork + Aluminium + Linen
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 2.29kg



ML-LD013

Input : DC 5V-1A
Power : LED 4W x 3
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Ironwork + Aluminium + Linen
Battery : 5000mAH
Charging method : USB+Type-C
Switch mode : Touch control , Remote control
Size of color box : 40x27x21cm
NET weight(kgs) : 2.12kg





VM40A NightLight
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
2*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port



VM40C NightLight
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port



VM40B NightLight
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
2*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port



VM40D NightLight
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port



VM41A Table Lamp
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port



VM41C Table Lamp
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port




VM41B Table Lamp
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port





VM41D Table Lamp
Bamboo Body + Plastic Diffuser

Input DC 5V-1A
LED 1.5W
CCT:3000K-4000K-6000K
Lamp Brightness 100lm
1*1200mAh Li-ion Battery
Stepless Dimmable
Class III
IP44
Tepy-C Charging Port











ML-CX001 BD 壁灯


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 7.7x7.7x27cm
NET weight(kgs) : 0.22kg



ML-CX001 ZD 台灯+壁灯两用



Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 21x13.6x5.6cm
NET weight(kgs) : 0.59kg






ML-CX003 JG 壁灯




Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K & RGB
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Size of color box : 8.5x9x10.5cm
NET weight(kgs) : 0.25kg



ML-SD01 壁灯


Input : DC 5V-1A
Power : LED 1W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Bottom touch switch + Stepless dimming
Size of color box : 8.5x8.5x7.5cm
NET weight(kgs) : 0.21kg






ML-SWL003 人体感应壁灯

Input : DC 5V-1A
Power : LED 1W
CCT : 3000K-6500K
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Key switch + Human body induction
Size of color box : 5.5x9x10.5cm
NET weight(kgs) : 0.25kg



ML-SWL005 人体感应壁灯


Input : DC 5V-1A
Power : LED 1W
CCT : 3000K-6500K
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
+Strong magnet
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Bottom touch switch + Stepless dimming
Size of color box : 9x10.5x11.8cm
NET weight(kgs) : 0.21kg






ML-YD-008

Input : DC 5V-1A
Power : LED 1W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 8.5x8.5x12cm
NET weight(kgs) : 0.26kg



ML-XD-80 插电台灯


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K & RGB
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : /
Charging method : USB plug
Switch mode : Key switch
Size of color box : 10x10.5x12.5cm
NET weight(kgs) : 0.25kg






ML-WBL001




Input : DC 5V-1A
CCT : 3000K-6500K & RGB
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method: USB+Type-C
Switch mode : Key switch + Remote control switch
Size of color box : 13x13x10.5cm
NET weight(kgs) : 0.49kg



ML-W9


Input : DC 5V-1A
CCT : 3000K-6500K & RGB
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method: USB+Type-C
Switch mode : Key switch
Size of color box : 17x9.5x6.5cm
NET weight(kgs) : 0.22kg






ML-TD13 插电台灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : /
Charging method : USB plug
Switch mode : Key switch
Size of color box : 11x11x27cm
NET weight(kgs) : 0.28kg



ML-NM-999-2 插电台灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : /
Charging method : USB plug
Switch mode : Key switch
Size of color box : 11x11x27cm
NET weight(kgs) : 0.24kg




艺术氛围灯系列

Artistic atmosphere light series




ML-XYD02 爱心/米奇

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Life : 35000hrs
Material : Base(ABS)+Lamp holder(Metal)
Battery : 18650mAh
Charging method : USB plug
Switch mode : No switch
Size of color box : 7.5x7.5x10cm
NET weight(kgs) : 0.26kg



ML-XYD03 爱心/米奇


Input : DC 5V-1A
Power : LED 5W
Life : 35000hrs
Material : Base(ABS)+Lamp holder(Metal)
Battery : /
Charging method : USB plug
Switch mode : No switch
Size of color box : 4x18x28cm
NET weight(kgs) : 0.4kg



Artistic atmosphere light series



艺术氛围灯系列






ML-TYD-W886 插电投影灯


Input : DC 5V-1A
Power : LED 5W
CCT : Christmas/Snowflake/Halloween
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB plug
Switch mode : No switch
Size of color box : 10.5x8x14.5cm
NET weight(kgs) : 0.4kg



ML-TYD-W737 插电投影灯


Input : DC 5V-1A
Power : LED 5W
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : /
Charging method : USB plug
Switch mode : No switch
Size of color box : 7.5x6.5x10cm
NET weight(kgs) : 0.4kg






ML-BD 01 插拔方底

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(Metal)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD 02 插拔圆底

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(Metal)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg






ML-G01BD-D

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Detachable Lampshade
Size of color box : 13.5x13.5x14.5cm
NET weight(kgs) : 0.41kg



ML-G01BD-E

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Detachable Lampshade
Size of color box : 13.5x13.5x14.5cm
NET weight(kgs) : 0.5kg



ML-G02BD-D



Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Detachable Lampshade
Size of color box : 13.5x13.5x14.5cm
NET weight(kgs) : 0.38kg



ML-G02BD-E


Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Detachable Lampshade
Size of color box : 13.5x13.5x14.5cm
NET weight(kgs) : 0.5kg







ML-BD03

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg





ML-BD05

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD04

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD06

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Touch switch
Function : Lamp tube can rotate 360 degrees and detachable
Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg





ML-BD11

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Crystal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable


Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD12

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable

Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD11

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Function : Lamp tube can rotate 360 degrees and detachable

Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



ML-BD13

Input : DC 5V-2A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal Base+Metal shade
Battery : 18650
Switch mode : Touch switch
Function : Lamp tube can rotate 360 degrees and detachable

Size of color box : 36x15.5x9cm
NET weight(kgs) : 0.74kg



高脚氛围灯系列

High Foot Atmosphere Lamp Series



High Foot Atmosphere Lamp Series

高脚氛围灯系列



ML-G01KP 圣诞老人

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G01KP 鹰

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



高脚氛围灯系列

High Foot Atmosphere Lamp Series



ML-G01KP 绅士

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G01KP 圣诞树

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



High Foot Atmosphere Lamp Series

高脚氛围灯系列





ML-G01KP

兔子

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G02KP

兔子

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg




高脚氛围灯系列

High Foot Atmosphere Lamp Series




ML-G02KP 圣诞树

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G02KP 鹰

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg





ML-G02KP 圣诞老人

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G02KP 绅士

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg






ML-G01X 高脚氛围灯-圆底

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G01X 高脚氛围灯-八角底

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



高脚氛围灯系列

High Foot Atmosphere Lamp Series




高脚氛围灯系列

High Foot Atmosphere Lamp Series




ML-G02X 高脚氛围灯-圆底

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G02X 高脚氛围灯-方底


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.7kg






ML-G01 ZD 老款折叠高脚灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Switch mode : Top touch switch + Stepless dimming
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 0.65kg



ML-G01 LD 落地灯+台灯两用


Input : DC 5 V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Switch mode : Top touch switch + Stepless dimming
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 1.6kg






ML-G01JP 酒瓶灯


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.48kg



ML-G01JP 灯带酒瓶灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.5kg






ML-G02JP 酒瓶灯


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.48kg



ML-G02JP 灯带酒瓶灯


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.5kg






ML-G02JP RGB酒瓶灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(ABS)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.48kg



ML-G02JP 尖头酒瓶灯

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x11.5cm
NET weight(kgs) : 0.48kg





ML-G02X 高脚氛围灯-圆底

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13.5x13.5x13.5cm
NET weight(kgs) : 0.65kg



ML-G05ZD 高脚氛围灯-方底

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 0.8kg






ML-G06ZD 高脚氛围灯-方底条纹

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 0.85kg



ML-LL107 可调台灯


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAh
Charging method : USB+Type-C
Switch mode : Touch switch on lampshade base + Stepless dimming
Size of color box : 13x13x36cm
NET weight(kgs) : 0.4kg






ML-TD09


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(Metal)
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 8.5x8.5x35cm
NET weight(kgs) : 0.35kg



ML-GZ03


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(Metal)
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Size of color box : 8.5x8.5x28cm
NET weight(kgs) : 0.24kg





ML-MG07

Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Size of color box : 16x16x22cm
NET weight(kgs) : 0.48kg



ML-MG3


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(ABS)
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Side touch switch + Stepless dimming
Size of color box : 16x16x22cm
NET weight(kgs) : 0.42kg






ML-TD02

Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(Metal)+Lamp holder(Metal)
Battery : 18650mAH
Charging method : USB+Type-C
Switch mode : Top touch switch + Stepless dimming
Size of color box : 13x13x29.5cm
NET weight(kgs) : 0.48kg



ML-YSA


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal base+ABS shade
Battery : 18650
Switch mode : Side touch switch
Size of color box : 12x12x27cm
NET weight(kgs) : 0.46kg



ML-YS04


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Metal base+shade
Battery : 18650
Switch mode : Side touch switch
Size of color box : 12x12x21.5cm
NET weight(kgs) : 0.32kg






ML-MG06

Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Base+Metal shade
Battery : 18650
Switch mode : Side touch switch
Size of color box : 16x16x22cm
NET weight(kgs) : 0.48kg




ML-MGC

Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Base+Metal shade
Battery : 18650
Switch mode : Top touch switch
Size of color box : 10.5x10.5x16.5cm
NET weight(kgs) : 0.35kg



ML-MGA

Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Base+Metal shade
Battery : 18650
Switch mode : Top touch switch
Size of color box : 10x10x16cm
NET weight(kgs) : 0.33kg



ML-MGD


Input : DC 5V-1A
Power : LED 3W
CCT : 3000K-6500K
Dimmable : 10-100%
Charging method : UCB+Type-C
Material : Base+Metal shade
Battery : 18650
Switch mode : Top touch switch
Size of color box : 12x12x21.5cm
NET weight(kgs) : 0.41kg






ML-TG01 ZD 太阳能圆形

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(aluminum)+Lamp holder(ABS)
Battery : 18650mAH
Switch mode : LAMP cap bottom+silicone burron switch
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 0.65kg



ML-TG13 太阳能方形滚塑


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(metal)+Lamp holder(Roll molding)
+Solar energy(photovoltaic panels)
Battery : 18650mAH
Switch mode : Silicone button switch under lamp cap
Size of color box : 21.5x21.5x14.4cm
NET weight(kgs) : 0.65kg






ML-TG02 ZD 太阳能圆形条纹


Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(aluminum)+Lamp holder(ABS)+Solar energy(photovoltaic)
Battery : 18650mAH
Switch mode : Silicone button switch under lamp cap
Size of color box : 17.5x17.5x12.5cm
NET weight(kgs) : 0.71kg




ML-TG06 ZD 太阳能方形条纹

Input : DC 5V-1A
Power : LED 5W
CCT : 3000K-6500K
Dimmable : 10-100%
Life : 35000hrs
Material : Base(metal)+Lamp holder(Roll molding)+Solar energy(photovoltaic panels)
Battery : 18650mAH
Switch mode : Silicone button switch under lamp cap
Size of color box : 21.5x21.5x14.4cm
NET weight(kgs) : 0.65kg






Input : DC 5V-1A
Power : LED 4W
CCT : 3000K/4000K/5000K
Dimmable : 10-100%
Working Time : 6h
Charging Time: 5h
Material : ABS base+PC shade+Metal pole
Battery : 3.7V 2*1800mAh Li-ion
Switch mode : Touch switch
Size of color box : 13.5x13.5x39cm
NET weight(kgs) : 0.6kg







Input : DC 5V-1A
 Power : LED 4W
 CCT : 3000K/4000K/5000K
 Dimmable : 10-100%
 IP : IP44
 Material : ABS base+PC shade +Metal Pole
 Battery : 3.7V 2*1800mAH Li-ion
 Switch mode : Touch switch
 Size of color box : 13.5x13.5x33.5cm
 NET weight(kgs) : 0.5kg



Input : DC 5V-1A
 Power : LED 4W
 CCT : 3000K/4000K/5000K
 Dimmable : 10-100%
 IP : IP44
 Material : ABS base+PC shade +Metal Pole
 Battery : 3.7V 2*1500mAH Li-ion
 Switch mode : Touch switch
 Size of color box : 15x15x30cm
 NET weight(kgs) : 0.7kg



Input : DC 5V-1A
 Power : LED 4W
 CCT : 3000K/4000K/5000K
 Dimmable : 10-100%
 IP : IP44
 Material : ABS base+PC shade +Metal pole
 Battery : 3.7V 2*1800mAH Li-ion
 Switch mode : Touch switch
 Size of color box : 13.5x13.5x33.5cm
 NET weight(kgs) : 0.5kg



Input : DC 5V-1A
 Power : LED 2.5W
 CCT : 3000K/4000K/5000K
 Dimmable : 10-100%
 IP : IP44
 Material : ABS base+PC shade +Metal pole
 Battery : 3.7V 2*1500mAH Li-ion
 Switch mode : Touch switch
 Size of color box : 14x14x31cm
 NET weight(kgs) : 0.63kg



